

fo •

Attorney Docket No.: VN-169RI

2/2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re	Application of: Rangan, et al.)		
Serial	No.: 09/173,582)		
Filed:	October 15, 1998)	Examiner: Ton, D.	
For:	DATA COMMUNICATION NETWORK WITH TRANSFER PORT, CASCADE PORT AND/OR FRAME SYNCHRONIZING SIGNAL)))	Group Art Unit: 2732	RECEIVED FEB 0 5 2002
A:-4-	nt Commissioner for Patents			Technology Center 2600

Assistant Commissioner for Patents Washington, D.C. 20231

SUBMISSION OF DECLARATIONS AND SUBSTITUTE SPECIFICATION PAGES

Sir:

In response to a telephone communication from the Examiner, enclosed herewith is a new inventor declaration (executed by two of the three inventors) that in greater detail explains the error upon which the above-identified reissue is based. A declaration of Alan Loudermilk accompanies the inventor declaration, which explains the diligent, but unsuccessful, efforts, to locate the third co-inventor, Richard Thaik.

Applicant requests that the inventor declaration submitted herewith be accepted by the U.S. Patent Office, in view of the diligent efforts made to locate Mr. Thaik.

Also at the request of the Examiner, Applicant is submitting herewith substitute specification pages for columns 31 and 32. This resubmission was necessitated by the certificate of correction issued for the original patent; the newly submitted column 32 has been changed to reflect the change in the certificate of correction.

No new matter has been added by this submission. This application is submitted to be in condition for allowance and such is respectfully requested.

04/08/2003 AKELLEY 00000025 500251 09173582

01 FC:1460

130.00 CH

Applicant's attorney requests an opportunity to discuss this case with the Examiner by way of a telephone or in-person interview in order to address any additional questions, etc., that the Examiner may have.

Please charge any additional fees due, or credit any overpayment, to Deposit Account No. 50-0251.

Respectfully submitted,

Alan R. Loudermilk Registration No. 32,788

Attorney for Applicant(s)

December 10, 2001 10950 North Blaney Ave., Suite B Cupertino, CA 95014 408-342-1866

I hereby certify that the foregoing is being deposited with the U.S. Postal Service, postage prepaid, to the Commissioner of Patents and Trademarks, this 10th day of December, 2001.

2



Attorney Docket No.: VN169RI

Technology Center 2600

N THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re R	eissue Application of: Rangan, et al.)	
Applica	ation No.: 09/173,582) Examiner: Ton, D.	
Filed: (October 15, 1998)) Group Art Unite: 2732	
l	DATA COMMUNICATION NETWORK WITH TRANSFER PORT, CASCADE PORT AND/OR)))	RECEIVED
	FRAME SYNCHRONIZING SIGNAL)	FEB 0 5 2002

Assistant Commissioner for Patents Washington, D.C. 20231

DECLARATION OF ALAN R. LOUDERMILK

I, Alan R. Loudermilk, am the patent attorney prosecuting this reissue application on behalf of the Applicant.

In response to a telephone call from the Examiner, a new declaration explaining in greater detail the "at least one error upon which reissue is based" was prepared (as will be apparent from the original declaration and the newly-submitted declaration, the at least one error is Applicant claiming less than Applicant was entitled to claim, which is described in the new declaration in detail and is readily apparent from a comparison of the originally-issued claims with the claims added in this reissue). This new declaration was signed by two of the three co-inventors, Geetha N.K. Rangan and Debra J. Worsley. I have been unable to locate the third named inventor, Richard Thaik.

This declaration is provided to explain that I have made a diligent effort in attempting to locate Richard Thaik. He is no longer employed with the former assignee of the patent that is being reissued (National Semiconductor), and he is no longer employed by his last known

employer (Cisco Systems). It was at Cisco Systems in San Jose that I last met Mr. Thaik in May 1999, which was at the time of execution of the originally-submitted declaration. My recent efforts to location Mr. Thaik include the following.

I made numerous calls to Cisco System and was unable to determine any information regarding his current whereabouts. A letter sent to Cisco Systems was returned to sender. Responses were not received to the letters sent to his last two (believed) home addresses (1566 Cleo Springs Drive, San Jose CA 95131, and 4325 Renaissance Drive, San Jose, CA 95134). Calls to directory assistance were unsuccessful. Various Internet-based searches were not successful. I attempted to track Mr. Thaik down through Purdue University, from which he graduated and to which he has contributed over the years, but the contact information that he maintained with Purdue University had not been updated.

Based on the previously friendly and cooperative interaction that I had with Mr. Thaik in 1999, it would seem that he has moved to an unknown location and has not received, or is not in position to receive, the correspondence that has been sent to him. Accordingly, and in view of the foregoing, Applicant is submitting a new Declaration executed by the remaining co-inventors and requests that this new Declaration be accepted by the US Patent Office.

I declare that all statements made herein of my knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United Sates Code, and that such willful false statements may jeopardize the validity of the reissue application or any patent issued thereon.

Respectfully submitted,

Alan R. Loudermilk Registration No. 32,788 Attorney for Applicants

December 10, 2001 10950 North Blaney Ave., Suite B Cupertino, CA 95014 408-342-1866


PTO/SB/51 (02-01)
Approved for use through 01/31/2004. OMB 0651-0033
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

REISSUE APPLICATION DECLARATION BY THE INVENTOR

Docket Number (Optional)

As a below named inventor, I hereby declare that: My residence, mailing address and citizenship are stated below next to my name. I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is described and claimed in patent number 5500, granted 0ctober 151996, and for which a reissue patent is sought on the invention entitled bata Communication Network with
Transfer Port, Cascade, Port and or Frame Synchronizing Signal the specification of which
is attached hereto. was filed on October 15, 1998 as reissue application number 09 / 173,582 and was amended on 5 17 00 (If applicable)
was filed on Octoor 15 1700 as reissue application number 017175, 300 and was amended on 51700 (If applicable) I have reviewed and understand the contents of the above identified specification, including the claims as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56. I verily believe the original patent to be wholly or partly inoperative or invalid, for the reasons described below. (Check all boxes that apply.)
by reason of a defective specification or drawing.
by reason of the patentee claiming more or less than he had the right to claim in the patent.
by reason of other errors.
At least one error upon which reissue is based is described below. If the reissue is a broadening reissue, such must be stated with an explanation as to the nature of the broadening: by reason of claiming only the subject matter of claims 1-15, which is less than the full right to claim in the original application. Accordingly, new claims 16-141 were added. For example, comparing claim 16 to original claim 14, claim 14 was limited to a "receive memory device," a "transmit memory device," a "plurality of receive datapaths," and a "plurality of transmit datapaths." As the originally-filed specification makes clear, this was less than Applicant was entitled to claim, and therefore new claim 16, which parallels original claim 14, recites a "receive memory," a "transmit memory," "one or more receive datapaths," and "one or more transmit data paths." In addition, Applicant, in combination with independent claim 16, was entitled to claim the subject matter of dependent claims 17-57, but did not do so in the original application. Similar errors of claiming less than Applicant was entitled to claim can be seen from the subject matter of new claims 58-141, which include subject matter that Applicant was entitled to claim but did not in the original application.

[Page 1 of 2]



0:408 342 18

PTO/SB/51 (02-01)
Approved for use through 01/31/2004 OMB 0651-0033
U.S. Patent and Tradomark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Ro	ME TO ATTO EN 1885, no	persons are required to respond	to a collection of infor	rmation	uniess it d	isptaya a val	d OMB control number.
(REISSUE APPLIC	CATION DECLA	RATION BY THE INVEN	NTOR, page 2)			WG R	er (Optional)
applicant. As a nat application and trai	med inventor I	he application arose with hereby appoint the follows in the United States P.	wing attorney(s	s) and	l/or age	eni(s) to	prosecute this
Name(s)		Registration Number					
Alan e. I	endermi	K 32,788					
Correspondence A	ddress: Direct a	Il communications about	the application				*
Customer Nu	· · · · · · · · · · · · · · · · · · ·			->			r Number Bar
		ype Customer Number	here		Code	.abel her	e Center
Firm or Individual Name	Loudern	MK + ASSECL	ates		-		<u>.</u>
Address	10050 1	V. Blaney A	YALL.				
Address	Suite	h				,	
City	Cupert	inc	State	CA		Zip	95014
Country	USA	·····					
Telephone	(408) 34	17-1866	Fax	jifi	<u> </u>	342-	136.8
the knowledge that or both, under 18 application, any pat	willful false start U.S.C. 1001, and tent issuing there first inventor (g	te believed to be true; and tements and the like so and that such willful falso eon, or any patent to white name, family name;	made are puni e statements n ich this declara	ishabl nay je	e by fir eopardi:	ne and in ze the va	nprisonment,
Inventor's signature	O. IA	N.K. RANG	Date 🔷				
Residence	U.S.A C	M.D. Rangan CALIFORNIA) HANITA CT., C	Citizenship	11	NO1.	A	
Mailing Address	21086,	HANITA CT., C	UPERTIN	0,	CA	-9501	14
Full name of second	d joint inventor (given name, family name	∋)				
Inventor's signature			Date				
Residence			Citizenship			•	
Mailing Address							
Full name of third jo	oint inventor (give	en name, family name)	•				
Inventor's signature			Date	•			
Residence			Citizenship			100 - 1	
Mailing Address							
Additional joint inve	ntors are named on	separately numbered sheets	attached hereto.				

PTO/SB/51 (02-01)
Approved for use through 01/31/2004. OMB 0651-0033
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Recogn Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(REISSUE APPLIC	CATION BY THE INVE	NTOR, page 2)		Docket VN160	Number 7 R I	(Optiona	al)
applicant. As a na	ed in this reissue application arose w med inventor, I hereby appoint the follons and the united States F	owing attorney(s	an (s	d/or agent(s	s) to pi	rosecu	te this
Name(s)	Registration Number						ì
Alan R. Lo	pudermilk Reg. No. 32	<u>, 788</u>	_ _				i
Correspondence A	ddress: Direct all communications abou	ut the application	to:				
Customer Nu	Type Customer Number	here	->	Place Cus Code Labe		Vumbe	r Bar
Firm or Individual Name	Loudermilk & Associ	iates					
Address		enue					
Address	Suite B	· · · · · · · · · · · · · · · · · · ·				<u> </u>	
City	Cupertino	State	CA	Zi	p	950	114
Country	U.S.A.			1 0			
Telephone	(408) 342-1866	Fax ((40	8) 342	-186	8	
made on informatio the knowledge that or both, under 18 that application, any pate	at all statements made herein of my on and belief are believed to be true; an willful false statements and the like so U.S.C. 1001, and that such willful falsent issuing thereon, or any patent to whe first inventor (given name, family name)	nd further that the made are punises statements maich this declaration	nese shabl lay je	statements le by fine a eopardize tl	were nd imp	made i risonm	with ent,
Geetha 1	N. K. Rangan	·1					
Inventor's signature	<u> </u>	Date					
Residence		Citizenship					
Mailing Address					Te		
Full name of second	d joint inventor (given name, family nam	e)			thnolo	FΕ̈́β	ЯE
Inventor's signature	Albakier Z	Date 1/2	25 /	ici	gy C	9	CE
Residence [723 in	Hedding St.	Citizenship	iS.	<i>(</i> \)	ente	\$ 20	VE
Mailing Address	Same				260	07	Ū.
Full name of third jo RIChard	int inventor (given name, family name) Traui人				\$		
Inventor's signature		Date					
Residence		Citizenship					
Mailing Address			•			_	
Additional joint inve	ntors are named on separately numbered sheets	s attached hereto.					



TABLE IX-continued

Mode : (Mixed Mode)

Data Buffer Loading Sequence According to Buffer Address

	Receive	· Transmit Buffer			
Buffer Address	Data in Buffer Lucation	Suffer Address	Data in Buffer Location	Suifer Audress	Data in Buffer Location
20H	iller	517H	Port 7-896	ifaH	TSI ang Slot 1530
21H ·	Port 1-83	HEN	Port 3-896	≘n⊪	TSI ang Slot 1531
<u> </u>	Port 2-83	5f9H	Port 9-896	ifcH	TSI mag Slot 1532
12H	Port 3-83	5faH	Port 10-896	∃fdH	TSI mng Slot 1533
24H	Port 483	:fbH	Port 11-896	SfeH	TSI ring Slot 1534
15H	Port 5-83	SfeH	Port 12-896	उं दा स	TSI ang Slot 1535
26H	Part 6-83	e Hote	Port 13-896	500H	TSI ang Slot 1536
27H	Port 7-83	ifeH	Port 16-8247		•
23H .	Port 3-83	5fH	Port 16-8248		
29H	Port 9-83	600H	tiller		

TABLE X

Signai Name Description RXI+RXI-Twisted pair receive inputs TKOP-TKO-Twisted pair transmit outputs TXO+.TXOP+ EXE Transmit Data input. Serial NRZ data input from the controller. TXE Transmit Sazole TXC Transmit Clock, A 10 Mhz clock derives from the 10 Mhz ECLK tanut. 30 COL Cullinon Detect output Generales an acrave high signal when the transceiver function of the physical layer portion detects a collision RXD Receive Data Output RXC Receive alock CRS Carrier Sense 35 ECRS Early carner sense. In mixed configuration. this signal goes active when valid data has reaction the input of the Ethernet receive لحيلا Link Clock. Used by the transmit circuits as the bit level clock for data encoding upon the isochronous/ethernet link. ECLK Ethernet clock. Used to encode data when the physical layer portion is operating in 10. Base T mode. RF5 Isochronous Receive frame synca. This output marks the beginning of a receive frame cycle. RXD Isocaronous receive data 45 RXE Isocaronous receive enable Œ₹ Isochronous Frame reference TFS Isochronous transmit frame synch. Marks the

What is claimed is:

TXD

1. In a data communication network for communicating data between a plurality of data stations over a communications medium under control of a processor which outputs a plurality of control signals, apparatus comprising:

beginning of a transmit frame cycle.

Isochronous Transmit data

- a receive memory means and a transmit memory means;
- a receive datapath corresponding to each data station coupled between said communications medium and said receive memory means for providing at least some 60 data received over said communications medium to said receive memory means;
- a transmit datapath corresponding to each data station coupled between said transmit memory means and said communications medium for providing at least some 65 data from said transmit memory means to said communications medium;

RECEIVED

FEB 0 5 2002

Technology Center 2600

each said receive datapath including;

 a deserializer configured to receive serial data from said communications medium and output at least a portion of said received serial data in parallel;

means for selectively transmitting, in response to one of said plurality of control signals, said data output by said deserializer to said receive memory means;

each said transmit datapath including a serializer configured to receive parallel data and output serial data.

- 2. Apparatus, as claimed in claim 1, wherein each of said receive memory means and said transmit memory means is a buffer.
- 3. Apparatus, as claimed in claim 1, wherein said data received over said communications medium includes status data indicating at least a status of port activities.
- 4. Apparatus, as claimed in claim 1, wherein said data received over said communications medium comprises status data including at least a status of interrupts of at least one of said data stations and wherein each said receive datapath includes a demultiplexer coupled between said communications path and said deserializer for diverting said status data to a first location prior to receipt of serial data in said deserializer.
 - 5. Apparatus, as claimed in claim 4, wherein said first location comprises a first register.
- 6. Apparatus, as claimed in claim 5, wherein said apparatus is contained in a first network data station, coupled, via said communications medium, to a plurality of other data stations and wherein said first register stores status data from all said other data stations which are connected to said first network data station.
 - 7. Apparatus, as claimed in claim 1, wherein said transmit datapath includes means for generating at least one predetermined data pattern for transmission onto said communications medium.
- 8. Apparatus, as claimed in claim 7, wherein said means for generating includes means for generating a plurality of predetermined data patterns and means for selecting among said plurality of data patterns in response to one of said plurality of control signals.
- 9. Apparatus, as claimed in claim 1, wherein said data stations include at least first and second network data stations, and said apparatus is contained in said first network data station, which is coupled, via said communications medium, to a first plurality of other data stations and also coupled, by said apparatus, via said communications medium, to said second network data station which is coupled to a second plurality of data stations and wherein:

:5